

T3+



Walk-Behind Scrubber-Dryer

- Improve productivity while delivering superior cleaning and floor safety
- Equipped standard with ec-H2O extends scrubbing 3 times longer between empty/fills
- Gain greater control over scrubbing with adjustable down pressure
- Experience industry-leading performance while maintaining your budget



ecH2O™
ELECTRICALLY CONVERTED WATER

Increase productivity by using advanced ec-H2O technology in one cost-effective compact scrubber-dryer

Enhance productivity

20% wider cleaning path, combined with advanced technology, increases productivity by over 30%.

Ensure superior cleaning performance

Get the highest level of cleanliness with more control. Adjustable down pressure lets operators apply the right amount of force for each job.

Enjoy ultra-maneuvrability

Take advantage of the ultra-maneuvrable scrubber-dryer to clean both open and tight spaces of small and mid-sized facilities.

Benefit from fast-charging batteries

Apart from gel and traction batteries, the T3+ also features a sustainable fast-charging battery that can be recharged in less than 90 minutes, supporting daytime and opportunity cleaning.



ENGINEERED FOR ENVIRONMENTAL SAFETY

Protect safety and health. Reduce scrubber-dryer tank mould and bacteria with Tennant's easy-to-clean hygienic recovery tank and debris tray.

Reduce operator fatigue and increase productivity. Ergonomic design makes cleaning with the T3+ more comfortable for your staff.

Stay in step. Exceptional water recovery reduces risk of slip-and-fall accidents, and leaves spaces ready for foot traffic immediately.



ec-H2O™ electrically converted water technology—only from Tennant

The T3+ scrubber-dryer is equipped with our proprietary ec-H2O technology, which converts plain tap water into a powerful cleaning agent without any added chemicals.



Improve safety and health

- Improves traction by up to 21% (certified by NFSI)
- Effective on difficult food-based oils and greases
- Eliminates need for using harsh chemical cleaners

Save time, money and resources

- Eliminates costs of buying, storing and handling chemicals
- Scrubs three times longer with a single tank of water
- Reduces water consumption and disposal by up to 70%

High Performance Features

Eliminate the need for follow-up passes and non-productive mop-up with the fully self-adjusting splash skirt that captures 100% of scrub deck overspray.



Easily train new operators to use the simple, intuitive control panel.



Save time and storage space with the on-board charger.



Eliminate operator contact with toxic wastewater and prevent clogged hoses/drains with the convenient pre-filtering debris tray.



Tennant's unique squeegee holder makes transporting or storing the T3+ simple and easy.



T-SERIES SCRUBBER-DRYERS

T-Series scrubber-dryers optimise your facility health and safety with industry leading noise-levels and water recovery along with exclusive, fully-cleanable hygienic tanks.

T1 38 cm

Corded scrubber-dryer with unmatched bi-directional water recovery and exclusive adjustable handle.



T2 43 cm

Experience cordless freedom with Tennant's smallest, most affordable battery scrubber-dryer.



T3 43, 51 cm

Scrub for up to 80 minutes on a single tank with simple to use, intuitive control panel and fully hygienic tank.



T3+ 60 cm

Leverages productivity enhancing ec-H2O technology on a compact platform with dual down pressure 21-41 kg and on-board storage.



T5 61-81 cm

Scrub for up to 150 minutes on a single tank with one touch scrubbing and fully hygienic tanks.



T7 66-81 cm

Maximise comfort, agility and run time with a compact rider that features productivity enhancing Economy Mode.



T3+ WALK-BEHIND AUTOMATIC SCRUBBER-DRYER

FEATURES

Scrubbing System

Cleaning path	600 mm
Solution tank capacity	40 L

Productivity

Cleaning path width	600 mm
Squeegee width	760 mm
Area coverage—theoretical max	3,000 m ² /h
Area coverage—practical max*	1,375 m ² /h

Drive System

Brush motor horsepower	0.65 kw
Brush RPM	285 RPM
Brush/pad pressure	23 kg (low) — 41 kg (High)

Recovery System

Recovery tank description	Full Access and Cleanable
Recovery tank capacity (includes demisting chamber)	57 L
Vacuum motor	0.37 kw/2 stage
Vac motor CFM	1.84 cmm
Vac motor sealed waterlift	1020 mm

Battery System

Lead Acid / Run time*	3.00 hours
Total power consumption	155 AH/ 20 hr. rate

Dimensions/Weights

Product height	1090 mm
Product length	1225 mm
Product width (with squeegee)	760 mm
Product weight (with batteries)	177 Kg

Decibel Rating

At operator's ear, indoors**	68.5 dBa
At 1 m by 1 m, indoors**	69.0 dBa

ec-H2O System
24 Volt DC, 0.7 A,
0.56 LPM (0.15 GPM)

Warranty

24 Months (or max 2,000 running hours) on parts and 12 months (or max 1,000 running hours) on labour, whichever comes first, excluding wear items.

* Run times are based on Continuous Scrubbing Run Times.

** For CE compliance, sound level is measured as an A-weighted sound pressure level per ISO 11201 and reported in accordance with ISO 4871.

GENUINE TENNANT PARTS, SUPPLIES & SERVICE

Genuine Tennant Parts Advantage

Operate your machine with confidence by choosing genuine Tennant parts. Only authentic Tennant parts are engineered in conjunction with Tennant equipment. For years of worry-free operation, accept only genuine parts and supplies.

Direct Service Network In Europe

Tennant offers a factory-trained, locally based network of more than 220 service technicians dedicated to keeping your cleaning program up and running. Protect your investment with a Tennant Service Agreement. Choose one of the many Tennant Financial Solutions for easy and quick financing.

For more detailed information on these topics, please contact your Tennant sales person.

SEEING IS BELIEVING

For a demonstration or additional information, contact us:

Tennant UK

Northampton NN5 7RX
UNITED KINGDOM
Tel: 00800-2255 8366
Fax: 00800-3298 3662
Tel: 01604 583191
(local rate UK only)
Fax: 01604 587909
(local rate UK only)
E-mail: enquiries@tennantco.com

TENNANT CEE GmbH

Sommerfeld 1
5202 Neumarkt am Wallersee
AUSTRIA
Tel: +43 (0)6216 4524 & 4525
Fax: +43 (0)6216 4524 20
E-mail: office@tennant-cee.com

TENNANT EUROPE NV

Plantin & Moretuslei 220
2018 Antwerp
BELGIUM
Tel: +32 3 217 94 11
Fax: +32 3 217 94 19
E-mail: europe@tennantco.com